



Bathing Water Analysis at Dún Laoghaire Baths

Between 01/03/2023 And 12/06/2023

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)



Page 1 of 2



Bathing Water Analysis at Dún Laoghaire Baths

Between 01/03/2023 And 12/06/2023

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
13/03/2023	10	7
27/03/2023	10	1
17/04/2023	10	10
24/04/2023	98	15
08/05/2023	10	3
22/05/2023	10	12
29/05/2023	10	4
06/06/2023	0	0
06/06/2023	10	2
12/06/2023	10	3

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli

Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora
of both animals and humans. Contamination allows the organism to spread to water environments

of both animals and humans. Contamination allows the organism to spread to water environments where its presence indicates faced contamination.

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.