



Bathing Water Analysis at Corbawn Strand

Between 01/07/2023 And 11/09/2023

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)





Bathing Water Analysis at Corbawn Strand

Between 01/07/2023 And 11/09/2023

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
03/07/2023	987	280
04/07/2023	20	41
11/07/2023	10	11
17/07/2023	75	7
24/07/2023	20	13
31/07/2023	41	32
08/08/2023	10	10
14/08/2023	97	20
21/08/2023	20	15
28/08/2023	20	14
04/09/2023	10	28
11/09/2023	20	9

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.