


04/09/2023

Bathing Water Analysis at White Rock

Between 04/09/2023 And 06/11/2023

E. Coli (cfu/100ml)




Enterococci (cfu/100ml)

09/10/2023

06/11/2023

18/09/2023



Page 1 of 2



Bathing Water Analysis at White Rock

Between 04/09/2023 And 06/11/2023

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
04/09/2023	10	22
11/09/2023	10	3
18/09/2023	135	8
25/09/2023	31	32
09/10/2023	10	8
23/10/2023	496	107
06/11/2023	20	15

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal Enterococci

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.