


Bathing Water Analysis at The 40ft


Between 17/11/2024 And 20/01/2025

E. Coli (cfu/100ml)





Enterococci (cfu/100ml)



Page 1 of 2



Bathing Water Analysis at The 40ft

Between 17/11/2024 And 20/01/2025

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
18/11/2024	10	20
02/12/2024	10	5
16/12/2024	10	23
06/01/2025	568	330
14/01/2025	41	7
20/01/2025	10	12

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora

of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.