



Bathing Water Analysis at Seapoint

Between 01/05/2025 And 07/07/2025

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)



Page 1 of 2



Bathing Water Analysis at Seapoint

Between 01/05/2025 And 07/07/2025

WHAT DO THESE RESULTS MEAN?

E. Coli	Enterococci
cfu/100ml	cfu/100ml
250(*)	100(*)
500(*)	200(*)
41	53
10	1
272	15
10	1
10	2
10	1
30	7
10	3
86	9
	cfu/100ml 250(*) 500(*) 41 10 272 10 10 10 30 10

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora

of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.